

1/12/2023

Pitman Restaurant Equipment Quote #48549

Clarification's by Phone

- 1) Dishwasher, Undercounter..... \$4,250.00
- 2) The removal and disposal of old unit is included in the price,
Note; the old unit must be removed and ready by others..... \$ 000.0
- 3) Chemicals not included. See note below.
- 4) The install of new machine is by Pitman's vendor at the time
of delivery, estimate cost for install between \$200-\$400. \$400 /-
Pitman and installer sub-total \$4650.00

Note;

The chemicals that rcyc currently are using will need to be calibrated with the new machine by the installer. I suggest that rcyc ask the installer for there recommendation for chemicals sold locally before the calibration (this would make it easier for a rcyc member to buy locally rather through on-line vendor.

Chemical allowance of \$150.00

Thank you
Monty Orlando
RCYC Member

2/10/2023

Pitman Restaurant Equipment

Quote

1535 SE 3rd Ave
Portland, OR 97214
P 503-238-0634
F 503-234-8574

Quote #: 48549
Account #: 1029065
Page: 1 of 1
Date: 1/12/2023
Time: 10:41:43 AM
Cashier: Danny
Register #: 4

Bill To: MONTY ORLANDO
ROSE CITY YACHT CLUB
3737 NE Marine Dr
PORTLAND, OR 97211
971-373-1026

Ship To: ROSE CITY YACHT CLUB
3737 NE Marine Dr
PORTLAND, OR 97211

Rep	Item Lookup Code	Description	Quantity	Price	Extended
	CMA-L1X W/HEATER	Low-Temp Dishwasher Undercounter With Sustainer Heater 120v CMA	1	\$4,250.00	\$4,250.00
	DELIVER	Pitman will Deliver Set in Place, Remove Packing Material. INSTALLATION NOT INCLUDED BALANCE MUST BE PAID PRIOR TO DELIVERY. THANK - YOU.	1	\$0.00	\$0.00

Due to market volatility and tariffs
all quoted prices are subject to change
Pitman Restaurant Equipment
ALL SALES FINAL
NO CASH REFUNDS

Sub Total \$4,250.00
Sales Tax \$0.00
Total \$4,250.00
Change Due \$0.00



48549



LOW TEMPERATURE UNDERCOUNTER GLASSWASHER

L-1X


Chemical Sanitizing Undercounter Glasswasher



CMA MODEL:L-1X



48" Undercounter dishtable with Pre-Rinse



Universal Pedestal



Low Chemical Alarm

FEATURES

- 30 racks / 120 covers per hour.
- Economical to operate. Uses only 1.7 gallons of water per cycle.
- All stainless steel construction assures long life and years of trouble free operation.
- 12-1/8" door opening.
- Unique spray arm system features upper and lower stainless steel wash arms with reinforced end caps.
- Built-in chemical pumps and delimiting system assures proper chemical usage.
- Convenient to service "Work-in-a-drawer". All electrical components are attached to a sliding drawer for easy access and service.
- Standard pump to draining or uphill stand pipe to drain.
- Pump purging system improves results by eliminating soil and chemical carryover during rinse cycle.
- Stainless steel pump impeller. Offers extended life and service.
- Built-in strainer in water inlet system to prevent water valve from clogging.
- Two dishracks included.
- Built-in primer switches.
- Built-in instant start.
- Door safety switch makes operation safe.
- 4" Stainless Steel Legs
- Built in Sustainer Heater. Maintains incoming water temperature.

AVAILABLE OPTIONS

- The "TEMP-SURE" requires a separate 240v 3 phase 40 amp power supply
- 6" Stainless Steel Legs
- Drain Board
- Alternative electrical available for export

CMA MIZER®
Registered Trademark

